

~~CONFIDENTIAL~~~~CONFIDENTIAL~~

CLASSIFICATION

5069879

(Leave blank)

ACTIVITY REPORTING		REPORT NO.	12-5093-55	
AIR INTELLIGENCE INFORMATION REPORT				
COUNTRY OR AREA REPORT CONCERNS		DATE OF INFORMATION		AF 789896 0376027
USSR		October 1955		
ACTIVITY SUBMITTING REPORT		DATE OF COLLECTION		SRI STATUS (If applicable)
DET #4, 7056 Air INTSERON 7050 Air INTSERWG (USAF)		26 Oct 55		SRI NO. CANCELED/COMPLETE
PREPARING INDIVIDUAL		DATE OF REPORT		SRI NO. CANCELED/INCOMPLETE
W. M. CARREL, Major, USAF		27 Oct 55		SRI NO.
NAME OR DESCRIPTION OF SOURCE		EVALUATION		ADDITIONAL INFORMATION ON (Date) ACTIVE
PROBLEM, WARSZAWA, POL, VOL 11		F-6		

REFERENCES (BAIR Subject, previous reports, etc., as applicable)

BAIR-2T, 5P

SUBJECT (Descriptive title. Use individual reports for separate subjects)

IRRIGATION AND NAVIGATION CANALS IN THE TURKMENSKAYA SSR

SUMMARY (Give summary which highlights the salient factors of narrative report. Begin narrative text on AF Form 112a unless report can be fully stated on AF Form 112. List inclosures, including number of copies)

APPROVED:

Wright J. Shepard
 Capt WRIGHT J. SHEPARD
 Colonel, USAF
 Commander

1 copy (2 Incl)

3-01-1200 10/55
 756.122 32N

785.4 32N

2

INCL

- #1 - Photo of Sketch of Canal
 #2 - Photo of View of Canal.

ABC

DISTRIBUTION BY ORIGINATOR (Except USAF and file. Indicate Dupl M/ox and copies w/o inclosures, if applicable)

USAFB

497 RTS

1 USAREUR

ATIC

1 DND

WARNING: This document contains information affecting the national defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C., Section 793 and 794. Its transmission or the revelation of its contents in any manner to an unauthorized person is prohibited by law.

AF FORM 112 REPLACES AF FORM 112, 1 OCT 52, WHICH MAY BE USED

CLASSIFICATION

~~CONFIDENTIAL~~

AP 507 112-PART H

APPROVE

(CLASSIFICATION)

60698798

AIR INTELLIGENCE INFORMATION REPORT

FROM (Agency) DEF 4, 7056 Air INTSERON 7050 Air INTSERWG (USAF)	REPORT NO. IR-5093-55	PAGE 2 OF 3 PAGES
---	--------------------------	-------------------

I. Ref is made to Incl #1, this Rpt, sketch of the Main Turkmen Canal, and to Incl #2, this Rpt, view of the Main Turkmen Canal. A water reservoir has been completed on the TEDZHEN River in the TURKMENSKAYA SSR in 1950. As of Oct 55 irrigation of the UST-URT and KARA-KUM deserts was intended by two canals: the Great KARA-KUM Canal, intended 900 km long, in the south and SW, and the main Turkmen Canal, intended 1,100 km long, in the north and NE. Preparatory work was already completed. A model of the canal was completed in the hydraulic laboratory in MOSKVA (5545N-3735E). Another large-scale model of a part of the Turkmen Canal and the AMU-DAR'YA River, occupying an area of 3 hectares, has been completed in KUPAVNA (5548N-3811E). The constr of the Great KARA-KUM Canal will be conducted in three stages. The First one will include a 400 km long canal section extending from KERKI (3752N-6512E) to the MURGAB River construction of which has been started from both ends of the route and should be completed by the end of 1956, as intended. As of Oct 55, locks near KERKI and embankments in the area of the KELIF lakes were under constr. Water was immediately introduced into completed sections of the canal.

The second section of the canal, to be built after completion of the first one, will extend from the MURGAB River to the DEDZHEN River.

The third section will pass by the foot of KOPET-DAG Mountain Range, go on to ASHKHABAD (3757N-5823E) and reach BAKHARDEN (3829N-5725E). The project on the first section provides that water from the AMU-DAR'YA River will flow into the drainage area of the MURGAB River, to irrigate 170,000 hectares of land.

On the left bank of the AMU-DAR'YA River, at the TAKHIYA-TASH rocky island near NUKUS (4228N-5935E), the TAKHIYA-TASH Dam and hydro electric power plant will be erected as the principal part of the main Turkmen Canal. Irrigation canals will branch off on both banks of the river, including the main Turkmen Canal which is to draw 400 cu m of water per second from the reservoir, later on 600 cu meters per second. The water is to fill the old KHOREZM irrigation canals, go on to the CHARYSHLA Wells and enter the well-preserved, dry bed of UZBOY River. The dry SARYKAMYSH Lake will be deviated by an artificial, 400 km long bed, to avoid filling of the lake, which would take 15 years, and evaporation.

From the CHARYSHLA Wells, water will be conducted by the UZBOY River bed, latter requiring only minor constr work, to KEL-KOR (coord unknown). The latter route will extend over 500 km. The last 200 km section will extend parallelly to the existing RR line toward the KRASNOVODSK (4000N-5300E) Bay of the CASPIAN Sea and will be purely a navigation canal with a minimal flow of water. Two reservoirs and hydro electric power plants are provided on the UZBOY route. From one of the intended reservoirs, at a place where the KARA-KUM and UST-URT deserts are meeting, another 400 km long canal, carrying 200-300 cu m of water per second, will start south toward KYZYL-ARVAT (3858N-5615E), bend off toward KAZANDZHIK (3916N-5532E) and continue southward toward the ATREK River. (In the area of the YASKHAN Lakes on the main Turkmen Canal route, the second hydro electric power station and a port are to be constructed. Water mains, totaling 1,000 km, with residual purifiers, will supply water from the YASKHAN reservoir to industrial establishments, RRs and populated places.) Another minor irrigation canal will be constructed there to moisture the areas of NEBIT-DAG (3930N-5422E) and KRASNOVODSK. As intended, a total of 300 million cu m of earth will be moved during the constr of the canals. An artificial improvement of canal bottoms and banks by depositing silt soils on them or soaking them with liquid water glass and calcium chloride is intended. In order to keep the canal system from obstruction by deposits of sand and silt, of which the AMU-DAR'YA River carries 50 million cu m annually, a system of sedimentary purifiers will be built. For protection from wind-blown sands, canals and populated places will be lined with 2.5 km wide zones of woods and lines of trees on canal banks, the planted area totaling 500,000 hectares. The main Turkmen Canal will be navigable in its

NOTE: THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE ACT, 50 U. S. C.—31 AND 32, AS AMENDED. ITS TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW. IT MAY NOT BE REPRODUCED IN WHOLE OR IN PART, BY OTHER THAN UNITED STATES AIR FORCE AGENCIES, EXCEPT BY PERMISSION OF THE DIRECTOR OF INTELLIGENCE, USAF.

CONFIDENTIAL
(CLASSIFICATION)

Air Force—USAF, Waba, Ger-84-4705

AF FORM-112-PART II

APPROVED 1 JUNE 1948

~~CONFIDENTIAL~~

6069879

AIR INTELLIGENCE INFORMATION REPORT

FROM (Agency) DET #4, 7056 Air INTSERON 7050 Air INTSERWG (USAF)	REPORT NO. IR-5093-55	PAGE 3 OF 3 PAGES
--	------------------------------	-------------------

entirety. After the completion of the canal, a continuous water route MOSKVA - VOLGA - CASPIAN SEA - KRASNOVODSK - CHARDZHOU (3908N-6336E) will be in operation. Water mains are to conduct drinking water to Turkmenian industrial centers: KRASNOVODSK, NEBIT-DAG, CHELEKEN (3927N-5308E), and KAR-BOGAZ-GOL (4103N-5256E). The planned hydro electric power plants will supply 100,000 kilowatts of energy. (It is not clear whether total or single output).

II. Translator: SULATYCKYJ Roman (FN)

Editor: PETAK


 V. E. CARREL
 Major, USAF

Detachment Commander

DET #4, 7056 Air INTSERON

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE ACT, 50 U. S. C.—31 AND 32, AS AMENDED. ITS TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW. IT MAY NOT BE REPRODUCED IN WHOLE OR IN PART, BY OTHER THAN UNITED STATES AIR FORCE AGENCIES, EXCEPT BY PERMISSION OF THE DIRECTOR OF INTELLIGENCE, USAF.

~~CONFIDENTIAL~~
(CLASSIFICATION)

Air Force—USAF, Waba, Ger-84-4705